

Report Date: 05/23/2011

Page 1 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 09/19/2007

GENERAL INFORMATION

Assessment Date: 09/19/2007

Assessment Time: 01:34 PM

Draft/Final: Final

Assessing Clinician: MUNDY, SHEILA (000399)

Local Case #: 68013126

Primary Language: English

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

1) Depakote 250 mg po bid

NON-PSYCHOTROPICS:

1) Neutrogena soap bid for mild facial acne

2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child
Relational Problem

II: No diagnosis

III: None

PLAN:

1) Will talk to his family about starting a stimulant medication.

2) He states that he was not taking his Depakote prior to admission. Will
recheck a level in 10 days.

Updated Medication Regimen:

1) Depakote 250 mg po bid

NOTE

Please Check all Note Types that apply before continuing!

Report Date: 05/23/2011

Page 2 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 09/19/2007

Note:

DATE: 9/9/071
LEVEL: A

MEDICAL PROBLEMS: Denies.

LABS: His Depakote was <10 UG/ML. His chemistry profile, thyroid profile, CBC, RPR, and UA were WNL.

RESPONSE TO MEDICATIONS: He continues to have a lot of hyperactivity. He is impulsive at times. He has been feeling homesick and cries occasionally.

MEDICATION SIDE EFFECTS: Denies.

PROGRESS: He is kind and respectful. He is compliant with the rules. He occasionally agitates his peers with his hyperactivity.

MSE: He is neatly groomed, fidgety, makes fair eye contact, has a euthymic affect, speech normal in rate, tone, and volume, thought process logical, no SI or HI, no psychosis, insight and judgment intact.

SCHOOL: He is occasionally disruptive in the classroom secondary to his hyperactivity.

FAMILY: His step-mother reported to his therapist that he has been homesick.

Algorithm: None

Report Date: 05/23/2011

Page 3 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 09/26/2007

GENERAL INFORMATION

Assessment Date: 09/26/2007

Assessment Time: 03:01 PM

Draft/Final: Final

Assessing Clinician: MUNDY,SHEILA (000399)

Local Case #: 68013126

Primary Language: English

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

1)Depakote 250 mg po bid

NON-PSYCHOTROPICS:

1)Neutrogena soap bid for mild facial acne

2)Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child
Relational Problem

II: No diagnosis

III: None

PLAN:

1)Will talk to his family about starting a stimulant medication.

2)He states that he was not taking his Depakote prior to admission. Will
recheck a level in 10 days.

Updated Medication Regimen:

1)Depakote 250 mg po bid

NOTE

Please Check all Note Types that apply before continuing!

Report Date: 05/23/2011

Page 4 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 09/26/2007

Note:

DATE: 9/26/07
LEVEL: A

MEDICAL PROBLEMS: Denies. His current weight is 118#
LABS: On 9/20/07 his Depakote level was 46.8 UG/ML. His chemistry profile was WNL. His thyroid profile was significant for a decreased T4 of 4.8 UG/DL.

RESPONSE TO MEDICATIONS: He was started on Concerta 27 mg qam on 9/19/07. He continues to be hyperactive and impulsive. He horseplays at timesms. He gets easily stimulated. He has been having some trouble sleeping at night and on 9/22/07 he was started on Benadryl 50 mg qhs prn insomnia. He feels homesick occasionally. He cries occasionally.

MEDICATION SIDE EFFECTS: Denies.

PROGRESS: He tries to comply, but has a hard time staying still and controlling his impulses.

MSE: He is neatly groomed, fidgety, dances around, has a hard time sitting still, euthymic affect, speech normal in rate, tone, and volume, no SI or HI, no psychosis, insight and judgment intact.

SCHOOL: He is hyperactive in school.

FAMILY: No acute issues.

Algorithm: None

Report Date: 05/23/2011

Page 5 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 10/03/2007

GENERAL INFORMATION

Assessment Date: 10/03/2007

Assessment Time: 01:26 PM

Draft/Final: Final

Assessing Clinician: MUNDY, SHEILA (000399)

Local Case #: 68013126

Primary Language: English

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 250 mg qam and 500 mg qhs
- 2) Concerta 27 mg qam

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

- 1) Will increase Depakote to 500 mg bid. Will repeat a level next week (10/11/07).
- 2) Once Depakote is therapeutic will continue titrating the Concerta to a therapeutic dose.

Updated Medication Regimen:

- 1) Depakote 500 mg bid
- 2) Concerta 27 mg qam

Report Date: 05/23/2011

Page 6 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 10/03/2007

NOTE

Please Check all Note Types that apply before continuing!

Note:

DATE: 10/3/07 - 24 day treatment review period
LEVEL: A

MEDICAL PROBLEMS: Denies. His current weight is 111.4#
LABS: His Depakote level was 65.2 UG/ML.

RESPONSE TO MEDICATIONS: On 9/26/07 his Depakote was increased to 250 mg
qam and 500 mg bid. He continues to have some hyperactivity. He is
impulsive and disruptive. He tends to agitate his peers and disrupts the
unit. When he gets redirected he gets angry and punches his fists in his
hands.

MEDICATION SIDE EFFECTS: Denies.

MSE: He is neatly groomed, makes good eye contact, is not as hyperactive,
has a euthymic affect, speech normal in rate, tone, and volume, no SI or
HI, no psychosis, insight and judgment intact.

SCHOOL: He is loud and disruptive in school. He has trouble acting
independently.

FAMILY: His family participated in person.

Algorithm: None

Report Date: 05/23/2011

Page 7 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 10/10/2007

GENERAL INFORMATION

Assessment Date: 10/10/2007

Assessment Time: 02:48 PM

Draft/Final: Final

Assessing Clinician: MUNDY, SHEILA (000399)

Local Case #: 68013126

Primary Language: English

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 250 mg qam and 500 mg qhs
- 2) Concerta 27 mg qam

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

- 1) Depakote level due tomorrow.
- 2) Will increase Concerta to 54 mg qam to target ADHD symptoms. He has been on this dose in the past, so I do not anticipate any changes going from 27mg to 54 mg.

Updated Medication Regimen:

- 1) Depakote 500 mg bid
- 2) Concerta 27 mg qam

Report Date: 05/23/2011

Page 8 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 10/10/2007

NOTE

Please Check all Note Types that apply before continuing!

Note:

DATE: 10/10/07
LEVEL: A

MEDICAL PROBLEMS: Denies..

LABS: Depakote level scheduled for tomorrow.

RESPONSE TO MEDICATIONS: He continues to be hyperactive, loud, and disruptive. He is easily frustrated.

MEDICATION SIDE EFFECTS: Denies.

PROGRESS: He has had more peer conflict. He is cursing at them. He has been argumentative with staff.

MSE: He is neatly groomed, makes fair eye contact, restless, makes good eye contact, has a euthymic affect, speech normal in rate, tone, and volume, no SI or HI, no psychosis, insight and judgment fair.

SCHOOL: He has a hard time staying stil and quiet. He is disruptive in the classroom. He argues with the teachers.

FAMILY: No acute issues.

Algorithm: None

Report Date: 05/23/2011

Page 9 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 10/17/2007

GENERAL INFORMATION

Assessment Date: 10/17/2007

Assessment Time: 01:18 PM

Draft/Final: Final

Assessing Clinician: MUNDY, SHEILA (000399)

Local Case #: 68013126

Primary Language: English

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 250 mg qam and 500 mg qhs
- 2) Concerta 54 mg qam

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child
Relational Problem

II: No diagnosis

III: None

PLAN:

- 1) Will talk to his parents about adding on Strattera.

Updated Medication Regimen:

- 1) Depakote 500 mg bid
- 2) Concerta 54 mg qam

NOTE

Please Check all Note Types that apply before continuing!

D-000288

Report Date: 05/23/2011

Page 10 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 10/17/2007

Note:

DATE: 10/17/07
LEVEL: A

MEDICAL PROBLEMS: He went to the dentist 10/12/07.

LABS: On 10/11/07 his Depakote level was therapeutic at 76.2 UG/ML. His thyroid profile was significant for a decreased T4 of 4.8 UG/DL. His TSH was WNL.

RESPONSE TO MEDICATIONS: He continues to have some trouble with hyperactivity, but less so since increasing the Concerta. He changes the subject frequently when he is talking to others. He has not been as loud on the unit, but continues to hum and talk out loud. He feels like he did well on Strattera.

MEDICATION SIDE EFFECTS: Denies.

PROGRESS: He continues to get agitated by some of his peers and agitates his peers at times. He has not been posturing aggressively towards his peers recently.

MSE: He is neatly groomed, makes good eye contact, has a euthymic affect, speech normal in rate, tone, and volume, thought process logical, no SI or HI, no psychosis, insight and judgment intact.

SCHOOL: He is not as loud in school.

FAMILY: No acute issues.

Algorithm: None

Report Date: 05/23/2011

Page 11 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 10/31/2007

GENERAL INFORMATION

Assessment Date: 10/24/2007
Assessment Time: 01:52 PM
Draft/Final: Final
Assessing Clinician: MUNDY, SHEILA (000399)
Local Case #: 68013126
Primary Language: English

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 250 mg qam and 500 mg qhs
- 2) Concerta 54 mg qam

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child
Relational Problem

II: No diagnosis

III: None

PLAN:

- 1) Will talk to his parents about adding on Strattera.

Updated Medication Regimen:

- 1) Depakote 500 mg bid
- 2) Concerta 54 mg qam

NOTE

Please Check all Note Types that apply before continuing!

Report Date: 05/23/2011

Page 12 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 10/31/2007

Note:

DATE: 10/24/07
LEVEL: A

MEDICAL PROBLEMS: Denies.
LABS: Up to date.

RESPONSE TO MEDICATIONS: He continues to have some hyperactivity and impulsivity. He has been getting frustrated with his peers. He continues to be loud on the unit.

MEDICATION SIDE EFFECTS: Denies.

PROGRESS: He had worked his way up to a level B but it dropped to an A for focused physical aggression. He and another peer were yelling at each other and it turned into a minor physical altercation.

MSE: He is neatly groomed, is fidgety, makes fair eye contact, has s euthymic affect, speech normal in rate, tone, and volume, no SI or HI, no psychosis, insight and judgment fair.

SCHOOL: He gets frustrated with his peers at times. He is not humming any more in the class room but he does talk to himself.

FAMILY: No acute issues.

Algorithm: None

D-000291

Report Date: 05/23/2011

Page 13 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 10/31/2007

GENERAL INFORMATION

Assessment Date: 10/31/2007
Assessment Time: 02:33 PM
Draft/Final: Final
Assessing Clinician: MUNDY,SHEILA (000399)
Local Case #: 68013126
Primary Language: English

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1)Depakote 250 mg qam and 500 mg qhs
- 2)Concerta 54 mg qam
- 3)Strattera 25 mg qam

NON-PSYCHOTROPICS:

- 1)Neutrogena soap bid for mild facial acne
- 2)Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child
Relational Problem

II: No diagnosis

III: None

PLAN:

- 1)Will increase Strattera to 40 mg qam to target residual symptoms.

Updated Medication Regimen:

- 1)Depakote 500 mg bid
- 2)Concerta 54 mg qam
- 3)Strattera 40 mg qam

NOTE

Report Date: 05/23/2011

Page 14 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 10/31/2007

Please Check all Note Types that apply before continuing!

Note:

DATE: 10/31/07 - 54 day treatment review period
LEVEL: A

MEDICAL PROBLEMS: Denies. His current weight is 110#
LABS: Up to date.

RESPONSE TO MEDICATIONS: He was started on Strattera 25 mg qam on 10/24/07. He continues to be hyperactive and disruptive. He has a hard time concentrating. His mood has been stable.

MEDICATION SIDE EFFECTS: Denies.

PROGRESS: He has been having some peer conflicts. He got angry with a peer on 10/30/07 and pushed the peer. He acted as if her were going to attack the peer and was restrained. he received Thorazine 50 mg by mouth. He is respectful towards staff and tries to comply with the rules.

MSE: He is neatly groomed, makes good eye contact, is fidgety, thought process logical, no SI or HI, no psychosis, insight and judgment intact.

SCHOOL: He continues to be hyperactive in the classroom. He is disruptive. He has a hard time being quiet.

FAMILY: His father participated in person.

Algorithm: None

Report Date: 05/23/2011

Page 15 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 11/07/2007

GENERAL INFORMATION

Assessment Date: 11/07/2007

Assessment Time: 03:07 PM

Draft/Final: Final

Assessing Clinician: MUNDY, SHEILA (000399)

Local Case #: 68013126

Primary Language: English

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 250 mg qam and 500 mg qhs
- 2) Concerta 54 mg qam
- 3) Strattera 40 mg qam

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

- 1) Will allow more time for the increased Strattera to become effective.

Updated Medication Regimen:

- 1) Depakote 500 mg bid
- 2) Concerta 54 mg qam
- 3) Strattera 40 mg qam

NOTE

D-000294

Report Date: 05/23/2011

Page 16 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 11/07/2007

Please Check all Note Types that apply before continuing!

Note:

DATE: 11/7/07
LEVEL: A

MEDICAL PROBLEMS: Denies.
LABS: Up to date.

RESPONSE TO MEDICATIONS: He continues to be hyperactive. He talks out of turn. He continues to be impulsive at times.

MEDICATION SIDE EFFECTS: Denies.

PROGRESS: He has been having some peer conflict with one peer in particular. He has days where he complies and days where he does not.

MSE: He is neatly groomed, makes fair eye contact, is not as fidgety as usual, thought process logical, no SI or HI, no psychosis, insight and judgment intact.

SCHOOL: He continues to talk out in class. He is disruptive at times.

FAMILY: No acute issues.

Algorithm: None

Report Date: 05/23/2011

Page 17 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 11/14/2007

GENERAL INFORMATION

Assessment Date: 11/14/2007

Assessment Time: 02:58 PM

Draft/Final: Final

Assessing Clinician: MUNDY,SHEILA (000399)

Local Case #: 68013126

Primary Language: English

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1)Depakote 250 mg qam and 500 mg qhs
- 2)Concerta 54 mg qam
- 3)Strattera 40 mg qam

NON-PSYCHOTROPICS:

- 1)Neutrogena soap bid for mild facial acne
- 2)Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child
Relational Problem

II: No diagnosis

III: None

PLAN:

- 1)Will further increase Strattera to 60 mg qam to target ADHD symptoms.

Updated Medication Regimen:

- 1)Depakote 500 mg bid
- 2)Concerta 54 mg qam
- 3)Strattera 60 mg qam

NOTE

Report Date: 05/23/2011

Page 18 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): MUNDY SHEILA
Data Entry Date: 11/14/2007

Please Check all Note Types that apply before continuing!

Note:

DATE: 11/14/07
LEVEL: A

MEDICAL PROBLEMS: He had a tooth capped yesterday at the dentist. He took Valium 2 mg prior to going to the dentist.

LABS: On 11/6/07 his thyroid profile was WNL.

RESPONSE TO MEDICATIONS: He continues to have a lot of hyperactivity in the morning. He has a hard time sitting still. He calms down some around lunch. He gets easily frustrated with his peers at times. He has not exhibited any recent aggression.

MEDICATION SIDE EFFECTS: Denies.

PROGRESS: He gets low scores for being disruptive on the unit. He can be rude and disrespectful to his peers. He usually takes responsibility for his actions. He takes care of his hygiene.

MSE: He is neatly groomed, makes fair eye contact, has a euthymic affect, is not as fidgety, speech normal in rate, tone, and volume, no SI or HI, no psychosis, insight and judgment intact.

SCHOOL: He has been disrespectful at times. He continues to talk in class. He is hyperactive.

FAMILY: No acute issues.

Algorithm: None

Report Date: 05/23/2011

Page 19 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 11/28/2007

GENERAL INFORMATION

Assessment Date: 11/21/2007

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 250 mg qam and 500 mg qhs
- 2) Concerta 54 mg qam
- 3) Strattera 40 mg qam

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

- 1) Continue Depakote 500 mg po bid
- 2) Continue Concerta 54 mg po qam
- 3) Continue Strattera 60 mg po qam
- 4) Continue to monitor patient's weight. Patient gained about three pounds. His current weight is about 113 pounds and his previous weight was 110.

Report Date: 05/23/2011

Page 20 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 11/28/2007

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 11-21-07. Patient is on Level A.

Patient continues to exhibit hyperactivity in the morning. He has difficulty staying quiet and staying focused on the activity at hand. He continues to be argumentative with peers and in groups. Patient continues to jump outside and later complain of hands and feet hurting. He also has difficulty being redirected. He continues to interrupt other people's conversations. As a result peers get frustrated with the patient bouncing around and he has difficulty interacting with them. Patient is once again requesting a room change.

According to staff patient has been doing somewhat better in the afternoons since the Strattera was increased to 60 mgs. last week. No reports of any side effects from the medication.

Objectively patient was appropriately dressed although his hair seemed somewhat messy. He was awake, alert and oriented to person, place and situation. Mood was even keeled and affect was congruent. Activity level was mildly increased and patient appeared to stay focused on the treatment team. Patient denied any suicidal and/or homicidal ideations. No reports of any auditory or visual hallucinations and no delusions. No tics and/or AIMS.

Lab results-TFTs- within normal limits.

Algorithm: None

Report Date: 05/23/2011

Page 21 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 11/30/2007

GENERAL INFORMATION

Assessment Date: 11/28/2007

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 250 mg qam and 500 mg qhs
- 2) Concerta 54 mg qam
- 3) Strattera 60 mg qam (Was increased to 60mg On 11/14/07)

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child
Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1) Continue Depakote 250 mgs. po qam and 500 mg po qhs.
- 2) Continue Concerta 54 mg po qam.
- 3) Will change Strattera to 30 mgs. q AM and q HS for hyperactivity during the afternoon hours and also for the hyperactivity in the early morning hours.

Report Date: 05/23/2011

Page 22 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 11/30/2007

NON-PSYCHOTROPICS:

- 1)Continue Neutrogena soap bid for mild facial acne.
- 2)Continue Stridex Pad at hs.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 11-28-07. Patient is on Level B.

Patient stated that he is doing fairly well this week. Staff reports indicate that patient is trying really hard to control his hyperactivity and that the morning dose of Strattera has been helping some. Although he continues to have difficulty waiting for his turn and is frequently interrupting conversations. He is also easily influenced by peers and becomes agitated. Patient stated that he is trying to use his coping skills and ignore his peers and use his radio also. Although he continues to yell at his peers and consequently he loses his scores. According to his teacher patient continues to be hyper-talkative at school, although he is trying to complete his work. Patient complained that he has a somewhat decreased appetite. Although it was reported that he eats his meals well. He is sleeping good but had a bad dream last night. In the dream he saw that his parents would get old and die in the future. It made him anxious and worried about his parents. Patient also insisted that he would like to recite the SPARK goals and recited them and felt good about it.

Patient was appropriately dressed and groomed. He was awake, alert and oriented to person, place and situation. His mood was even keel and his affect was congruent. He maintained fairly good attention and concentration during the treatment team. His activity level was appropriate for age. He denied any suicidal and/or homicidal ideations. No evidence of any psychotic symptoms. No TICS and/or AIMS.

Algorithm: None

Report Date: 05/23/2011

Page 23 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 12/07/2007

GENERAL INFORMATION

Assessment Date: 12/05/2007

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 250 mg qam and 500 mg qhs
- 2) Concerta 36 mg two tablets po qam. (Increased 12-05-07)
- 3) Strattera 30 mg qam and qhs for ADHD.

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1) Continue Depakote 250 mgs. po qam and 500 mg po qhs.
- 2) Increase Concerta to 36 mg two tablets po qam.
- 3) Strattera 30 mgs. q AM and q HS for hyperactivity during the afternoon hours and also for the hyperactivity in the early morning hours.

NON-PSYCHOTROPICS:

Report Date: 05/23/2011

Page 24 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 12/07/2007

- 1)Continue Neutrogena soap bid for mild facial acne.
- 2)Continue Stridex Pad at hs.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 12-05-07. Patient is on Level B.
Please refer to the 90 Day TPR for additional information.

Patient was appropriately dressed and groomed. He continues to exhibit decreased attention and concentration and hyperactivity during school, as well as on the unit. He has a hard time following directions. Although he is trying to be respectful and trying to follow the directions after multiple redirections. In addition, Patient is also hyper-talkative in the classroom and is somewhat disruptive. No reports of any major assaultive and/or self-harmful behaviors.

Patient was in a even keel mood and his affect was congruent. Attention and concentration were somewhat decreased and patient was seen to interrupt the conversation during treatment team. Activity level was mildly increased and he was noted to be constantly switching his position and was somewhat fidgety. No evidence of tics and/or AIMS. No suicidal and/or homicidal ideations. No evidence of any psychotic symptoms.

Algorithm: None

D-000303

Report Date: 05/23/2011

Page 25 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 12/13/2007

GENERAL INFORMATION

Assessment Date: 12/12/2007

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 500 mg qam and 500 mg qhs (Increased 12-12-07)
- 2) Concerta 36 mg two tablets po qam. (Increased 12-05-07)
- 3) Strattera 30 mg qam and qhs for ADHD.

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1) Increase Depakote to 500 mgs. po qam and 500 mg po qhs for mood stabilization.
- 2) Continue Concerta to 36 mg two tablets po qam.
- 3) Continue Strattera 30 mgs. q AM and q HS for hyperactivity.

NON-PSYCHOTROPICS:

Report Date: 05/23/2011

Page 26 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 12/13/2007

- 1)Continue Neutrogena soap bid for mild facial acne.
- 2)Continue Stridex Pad at hs.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 12-12-07. Patient is on Level A.

Staff reports that patient continues to exhibit hyperactivity and needs multiple daily redirections. He does somewhat better in the mornings and follows directions. Although, in the classroom he is hyperactive and hyper-talkative. He is passing all of his subjects with B's and C's. He is slow to follow instructions and repeats the staff's instructions and tries to play junior staff. He is also argumentative the past couple of days. He does maintain good hygiene and gets along with the staff. He is also keeping his room clean. He has a new watch that he received during the Christmas party as a present and he is somewhat preoccupied with it. In addition, he is also hyperactive during the HABS services programming. He falls on the floor, runs and bumps into things. He is respectful towards staff and polite with them.

Patient was appropriately dressed and was seen to be preoccupied with his new chrome watch. He put it on and took it off several times. Attention and concentration are decreased. Activity level was mildly increased. Speech was somewhat pressured. Mood was dysphoric. Affect was congruent. No suicidal and/or homicidal ideations. No tics or AIMS. No evidence of psychotic symptoms.

Algorithm: None

Report Date: 05/23/2011

Page 27 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/07/2008

GENERAL INFORMATION

Assessment Date: 12/19/2007

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA,LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1)Depakote 500 mg qam and 500 mg qhs (Increased 12-12-07)
- 2)Concerta 36 mg two tablets po qam. (Increased 12-05-07)
- 3)Strattera 30 mg qam and qhs for ADHD.(Increased to 60 mgs. po qAM and 40 mgs. po qHS on 12-19-07.)

NON-PSYCHOTROPICS:

- 1)Neutrogena soap bid for mild facial acne
- 2)Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1)Continue Depakote 500 mgs. po qam and 500 mg po qhs for mood stabilization.
- 2)Continue Concerta 36 mg two tablets po qam.
- 3)Increase Strattera to 60 mgs.po qAM and 40 mgs. po qHS for

Report Date: 05/23/2011

Page 28 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/07/2008

hyperactivity.

NON-PSYCHOTROPICS:

- 1)Continue Neutrogena soap bid for mild facial acne.
- 2)Continue Stridex Pad at hs.

LAB RESULTS:

TFT's are within normal limits. Valproic acid level is 48.6 (normal range of 50 to 100).
Urinalysis was within normal limits.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 12-19-07. Patient is on Level A. (He has five yes days.)

Patient continues to exhibit hyperactivity and hyper-talkativeness, especially in the mornings. He is agitated and takes a long time to eat his breakfast. He has difficulty maintaining his attention and concentration. In addition he is argumentative with his peers. Although, he stated that he is using his coping skills and is separating himself and going to his room when he has conflict with a peer. He is eating and sleeping fairly well.

Patient was appropriately dressed and groomed. His speech was hyper-talkative. He had difficulty maintaining his attention and concentration and his thought process was tangential. He was also hyperactive and fidgety. No evidence of tics or AIMS. No reports of self-injurious and/or assaultive behaviors. No suicidal or homicidal ideations.

Algorithm: None

D-000307

Report Date: 05/23/2011

Page 29 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/11/2008

GENERAL INFORMATION

Assessment Date: 01/09/2008

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 500 mg qam and 500 mg qhs (Increased 12-12-07)
- 2) Concerta 36 mg two tablets po qam. (Increased 12-05-07)
- 3) Strattera 30 mg qam and qhs for ADHD. (Increased to 60 mgs. po qam and 40 mgs. po qhs on 12-19-07.)
- 4) Begin Zoloft 25 mgs. one tablet po qam for anxiety and sadness on 01-09-08.

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1) Begin Zoloft 25 mgs. one tablet po qam for anxiety and sadness.
- 2) Continue Depakote 500 mgs. po qam and 500 mg po qhs for mood

Report Date: 05/23/2011

Page 30 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/11/2008

stabilization.

3) Continue Concerta 36 mg two tablets po qam.

4) Continue Strattera to 60 mgs. po qam and 40 mgs. po qhs for hyperactivity.

NON-PSYCHOTROPICS:

1) Continue Neutrogena soap bid for mild facial acne.

2) Continue Stridex Pad at hs.

3) Continue patient on high calorie diet and also provide him with Ensure.

4) Monitor patient's eating habits and weight.

LAB RESULTS: 12-11-07

Thyroid function tests within normal limits. Valproic acid level 48.6 (normal range 50 to 100) Urinalysis was within normal limits.

LAB RESULTS:

TFT's are within normal limits. Valproic acid level is 48.6 (normal range of 50 to 100).

Urinalysis was within normal limits.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 01-09-08. Patient is on Level A.

Patient continues to exhibit hyperactivity. He admits that he feels anxious during which he exhibits rapid speech. He also reports feeling sad and missing his younger brother. He also has low self-esteem and has difficulty expressing his feelings. He also identifies school being the trigger for his anxiety. He is argumentative and has difficulty accepting responsibility for his behaviors. In addition, patient has been complaining of occasional stomach upset for the past three or four days since last weekend. Patient denied any nausea, vomiting and/or diarrhea. Patient admits that he is eating fairly well and ate 100% of his breakfast this morning. Staff reports indicate that the patient also throws away a lot of food and is somewhat picky. Patient's father appears to be concerned about the patient's weight and the patient appearing pale. The father was informed that the patient's medical work-up, including lab values, were within normal limits and that the patient has been receiving a high calorie diet. It was discussed with

Report Date: 05/23/2011

Page 31 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/11/2008

the father that the patient is a picky eater and he is also wasting quite a bit of food that is provided to him. He was reassured that the patient will be continued on a high calorie diet and also given Ensure for weight gain. It was reported that the patient has lost approximately 8 pounds since his admission in September 2007. Patient denied any decrease in appetite. He insists that he is eating well. Patient also requested that he would like to take Benadryl syrup instead of the Benadryl tablets as needed at bedtime for insomnia.

Patient was appropriately dressed and groomed. His mood was even keel. His affect was congruent. Patient became visibly anxious when discussing the issues about school. He started biting his knuckles and he folded his arms and appeared to have become stiff. Patient denied that he was feeling angry in spite of his body language and the obvious signs. No evidence of psychotic symptoms. No reports of self-injurious and/or assaultive behaviors today. No tics or AIMS.

Algorithm: None

D-000310

Report Date: 05/23/2011

Page 32 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/18/2008

GENERAL INFORMATION

Assessment Date: 01/16/2008

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 500 mg qam and 500 mg qhs (Increased 12-12-07)
- 2) Concerta 36 mg two tablets po qam. (Increased 12-05-07)
- 3) Strattera 30 mg qam and qhs for ADHD. (Increased to 60 mgs. po qAM and 40 mgs. po qHS on 12-19-07.)
- 4) Begin Zoloft 25 mgs. one tablet po qam for anxiety and sadness on 01-09-08. Increase Zoloft to 50 mgs. po qAM for anxiety and sadness.

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1) Increase Zoloft to 50 mgs. one tablet po qam for anxiety and sadness.
- 2) Continue Depakote 500 mgs. po qam and 500 mg po qhs for mood

Report Date: 05/23/2011

Page 33 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/18/2008

stabilization.

3)Continue Concerta 36 mg two tablets po qam.

4)Continue Strattera to 60 mgs.po qam and 40 mgs. po qhs for hyperactivity.

NON-PSYCHOTROPICS:

1)Continue Neutrogena soap bid for mild facial acne.

2)Continue Stridex Pad at hs.

3)Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.

4)Monitor patient's eating habits and weight.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 01-16-08. Patient is on Level B.

Staff reports indicate that the patient has been showing a slight improvement in his behaviors. He is redirectable and is trying to comply with staff requests. Although, he continues to exhibit disruptive behavior in the classroom and is slow to comply with the teacher's requests. He continues to interrupt other peoples' conversations and is quick to respond without hearing the complete instructions. He continues to exhibit somewhat aggressive behavior in outdoor activities and especially in PE. Patient admits that his anxiety has improved a little bit, but he continues to report nervousness and hyperactivity and admits to having difficulty falling asleep. There are no reports from the staff that the patient has not been sleeping well. Lynzee Clark, Nutritional Specialist, also attended the treatment team and discussed the patient's dietary needs. Patient stated that he is eating 100% of his breakfast and he is eating well. His eating habits and weight are being continuously monitored.

Patient was appropriately dressed and groomed. He had a small laceration on his face on the lateral side of his eye which he sustained during a basketball game. Patient's mood was somewhat anxious. Although, his activity level was appropriate for age. He did appear to be focused on the treatment team. No reports of self-injurious and/or assaultive behaviors. No tics or AIMS. No evidence of psychotic symptoms. No

Report Date: 05/23/2011

Page 34 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/18/2008

suicidal and/or homicidal ideations.

—
Algorithm: None

Report Date: 05/23/2011

Page 35 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/25/2008

GENERAL INFORMATION

Assessment Date: 01/23/2008

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1)Depakote 500 mg qam and 500 mg qhs (Increased 12-12-07)
- 2)Concerta 36 mg two tablets po qam. (Increased 12-05-07)
- 3)Strattera 30 mg qam and qhs for ADHD.(Increased to 60 mgs. po qAM and 40 mgs. po qHS on 12-19-07.) Discontinue Strattera on 01/23/08 as patient is not responding to it.
- 4)Begin Zoloft 25 mgs. one tablet po qam for anxiety and sadness on 01-09-08. Increase Zoloft to 50 mgs. po qAM for anxiety and sadness.
- 5)Start Seroquel 25 mgs. po qam and qpm for mood stabilization.(on 01/23/08)

NON-PSYCHOTROPICS:

- 1)Neutrogena soap bid for mild facial acne
- 2)Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

D-000314

Report Date: 05/23/2011

Page 36 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/25/2008

PSYCHOTROPIC MEDICATIONS:

- 1) Increase Zoloft to 50 mgs. one tablet po qam for anxiety and sadness.
- 2) Continue Depakote 500 mgs. po qam and 500 mg po qhs for mood stabilization.
- 3) Continue Concerta 36 mg two tablets po qam.
- 4) Discontinue Strattera as patient is not responding to it.
- 5) Start Seroquel 25 mgs. po qam and qpm for mood stabilization.
(Explained the benefits and side effects to the patient.)

NON-PSYCHOTROPICS:

- 1) Continue Neutrogena soap bid for mild facial acne.
- 2) Continue Stridex Pad at hs.
- 3) Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.
- 4) Monitor patient's eating habits and weight.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 01-23-08. Patient is on Level B. (He lost his level due to too many no days.)

Patient stated that he felt sad during group therapy yesterday and had difficulty explaining his feelings. According to the staff reports the patient tries to act like a junior staff and tries to control the unit by giving directions to his peers, especially when when he reaches Level B. He continues to exhibit argumentative behaviors and is not very well organized. He is attending school but has difficulty getting his work done and maintaining legible handwriting. Patient continues to insist that Strattera is not helping him and that he continues to feel anxious, angry and irritable. He also has difficulty accepting responsibility and following staffs' directions. He continues to exhibit poor impulse control and is frequently seen to interrupt conversations and his peers' activities.

Patient was dressed in an oversized jacket and appropriately groomed. His mood was dysphoric and his affect was congruent. Activity level was mildly increased and he was seen to be fidgety. He also was seen to frequently interrupt staff members during their report in the treatment team. No reports of self-injurious and/or assaultive behavior. No

Report Date: 05/23/2011

Page 37 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/25/2008

evidence of psychotic symptoms. No suicidal and/or homicidal ideations.
No tics or AIMS.

—
Algorithm: None

Report Date: 05/23/2011

Page 38 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/31/2008

GENERAL INFORMATION

Assessment Date: 01/30/2008

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 500 mg qam and 500 mg qhs (Increased 12-12-07)
- 2) Concerta 36 mg two tablets po qam. (Increased 12-05-07)
- 3) Discontinued Strattera on 01/23/08 as patient is not responding to it.
- 4) Zoloft 50 mgs. po qam.
- 5) Seroquel 50 mgs. by mouth qam and qpm

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1) Increase Zoloft to 50 mgs. one tablet by mouth qam.
- 2) Continue Depakote 500 mgs. by mouth qam and 500 mg by mouth qhs for mood stabilization.

Report Date: 05/23/2011

Page 39 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 01/31/2008

- 3) Continue Concerta 36 mg two tablets by mouth qam
- 4) Increase Seroquel to 50 mgs. by mouth qam and qpm for mood stabilization.

NON-PSYCHOTROPICS:

- 1) Continue Neutrogena soap bid for mild facial acne.
- 2) Continue Stridex Pad at hs.
- 3) Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.
- 4) Monitor patient's eating habits and weight.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 01-30-08. Patient is on Level A (He has 2 yes days.)

Patient continues to be slow to follow directions and is argumentative. He is also loud and is seen to curse. He exhibits oppositional behavior and has difficulty accepting responsibility for his behaviors. Although, he is smiling more often and is seen to interact well with the peers. He continues to exhibit low frustration tolerance and irritability. No reports of any side effects from the medications.

Patient was appropriately dressed and groomed. His mood was even keel and his affect was congruent. Although, he appeared to exhibit low frustration tolerance and quickly became dysphoric. His affect was congruent. Activity level was mildly increased. Attention and concentration was fair during the treatment team. No evidence of psychotic symptoms. No tics or AIMS. No suicidal and/or homicidal ideations.

Algorithm: None

Report Date: 05/23/2011

Page 40 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 02/11/2008

GENERAL INFORMATION

Assessment Date: 02/06/2008

Assessment Time: 10:30 PM

Draft/Final: Final

Assessing Clinician: ANCHA,LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1)Depakote 500 mg by mouth every morning and 500 mg at bedtime (Increased 12-12-07)
- 2)Concerta 36 mg two tablets by mouth every morning. (Increased 12-05-07)
- 3)Discontinued Strattera on 01/23/08 as patient is not responding to it.
- 4)Decrease Zoloft to 25 mgs. by mouth every morning (02-06-08)
- 5)Seroquel 50 mgs. by mouth every morning and increase to 100 mgs. at bedtime (02-06-08)

NON-PSYCHOTROPICS:

- 1)Neutrogena soap bid for mild facial acne
- 2)Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1)Decrease Zoloft to 25 mgs. one tablet by mouth every morning for

Report Date: 05/23/2011

Page 41 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 02/11/2008

anxiety and depression (to decrease activation and irritability).

2)Continue Depakote 500 mgs. by mouth every morning and 500 mg by mouth at bedtime for mood stabilization.

3)Continue Concerta 36 mg two tablets by mouth every morning

4)Continue Seroquel 50 mgs. by mouth every morning and increase to 100 mgs. at bedtime for mood stabilization.

NON-PSYCHOTROPICS:

1)Continue Neutrogena soap twice a day for mild facial acne.

2)Continue Stridex Pad at bedtime.

3)Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.

4)Monitor patient's eating habits and weight.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 02-06-08. Patient is on Level A.

Patient continues to be demanding and is argumentative. He was placed in a personal restraint on 02-04-08 for extreme agitation and to prevent a danger to himself and others. In addition patient is also being disrespectful and is cursing the staff which he has not done in the past. Although, he is maintaining fairly good attention and concentration and is not interrupting nearly as much as he used to do. He also is trying to complete his work at school. Patient was in a conflict with a peer and his glasses were broken. Patient has an eye appointment today and a dental appointment tomorrow. Patient complained of feeling tired and he believes it is because of the Seroquel. Patient also complained of difficulty falling asleep and continues to exhibit poor impulse control.

Patient was appropriately dressed and groomed. He was somewhat fidgety and was seen to switch his position frequently during the treatment team meeting. Although, he maintained fairly good attention and concentration. Mood was even keel and affect was appropriate. No evidence of psychotic symptoms. No tics or AIMS. No suicidal and/or homicidal ideations.

D-000320

Report Date: 05/23/2011

Page 42 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 02/11/2008

Algorithm: None

Report Date: 05/23/2011

Page 43 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 02/15/2008

GENERAL INFORMATION

Assessment Date: 02/15/2008
Assessment Time: 10:30 AM
Draft/Final: Final
Assessing Clinician: ANCHA, LAKSHMI (000496)
Local Case #: 68013126
Primary Language: English
Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 500 mg by mouth every morning and 500 mg at bedtime (Increased 12-12-07)
- 2) Concerta 36 mg two tablets by mouth every morning. (Increased 12-05-07)
- 3) Decrease Zoloft to 25 mgs. by mouth every morning (02-06-08)
(Discontinued on 02-13-08)
- 4) Seroquel 50 mgs. by mouth every morning and at noon and continue 100 mgs. at bedtime (Increased on 02-13-08)
- 5) Benadryl 75 mgs. by mouth at bedtime for insomnia (Increased to 75 mgs. on 02-13-08)

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

D-000322

Report Date: 05/23/2011

Page 44 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 02/15/2008

- 1) Discontinue Zoloft 25 mgs. (To alleviate the activation irritability)
 - 2) Continue Depakote 500 mgs. by mouth every morning and 500 mg by mouth at bedtime for mood stabilization.
 - 3) Continue Concerta 36 mg two tablets by mouth every morning
 - 4) Increase Seroquel 50 mgs. by mouth every morning and at noon and continue 100 mgs. at bedtime for mood stabilization.
 - 5) Increase Benadryl to 75 mgs. by mouth at bedtime
- NON-PSYCHOTROPICS:
- 1) Continue Neutrogena soap twice a day for mild facial acne.
 - 2) Continue Stridex Pad at bedtime.
 - 3) Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.
 - 4) Monitor patient's eating habits and weight.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 02-13-08.

Patient did not attend school this morning. He continues to be rude and disrespectful. He is also angry and loud towards the staff. He requested a prn medication on 02-12-08 to help him calm down. He continues to argue with peers and has difficulty with poor social skills. Although staff reports indicate that his attention span has increased and he is focusing much better on the tasks at hand. He is also completing his work at school. Patient continues to insist that Benadryl helps him to get to sleep better; hence, Benadryl was increased to 75 mgs. po at bedtime for insomnia. Patient stated that his younger brother misses him and has been crying all week last week for the patient to come home.

Patient was appropriately dressed and groomed. His mood was even keel. His affect was congruent. Activity level was appropriate for age. He maintained fairly good attention and concentration. No evidence of psychotic symptoms. No tics or AIMS. No suicidal and/or homicidal ideations.

D-000323

Report Date: 05/23/2011

Page 45 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 02/15/2008

—
Algorithm: None

D-000324

Report Date: 05/23/2011

Page 46 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 02/29/2008

GENERAL INFORMATION

Assessment Date: 02/20/2008

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 500 mg by mouth every morning and 500 mg at bedtime (Increased 12-12-07)
- 2) Concerta 36 mg two tablets by mouth every morning. (Increased 12-05-07)
- 3) Decrease Zoloft to 25 mgs. by mouth every morning (02-06-08)
(Discontinued on 02-13-08)
- 4) Seroquel 50 mgs. by mouth every morning and at noon and increase to 150 mgs. at bedtime (Increased on 02-20-08)
- 5) Benadryl 75 mgs. by mouth at bedtime for insomnia (Increased to 75 mgs. on 02-13-08)

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

Report Date: 05/23/2011

Page 47 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 02/29/2008

- 1)Continue Depakote 500 mgs. by mouth every morning and 500 mg by mouth at bedtime for mood stabilization.
 - 2)Continue Concerta 36 mg two tablets by mouth every morning
 - 3)Continue Seroquel 50 mgs. by mouth every morning and noon and increased to 150 mgs. at bedtime for mood stabilization.
 - 4)Continue Benadryl to 75 mgs. by mouth at bedtime
- NON-PSYCHOTROPICS:
- 1)Continue Neutrogena soap twice a day for mild facial acne.
 - 2)Continue Stridex Pad at bedtime.
 - 3)Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.
 - 4)Monitor patient's eating habits and weight.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 02-20-08.

Patient continues to have an intense conflict with his roommate. He indicated that his roommate wanted him to perform oral sex. Patient decided to sleep in the timeout room as a result. Patient was also given an emergency dose of Thorazine 50 mgs. on 02-13-08 and 02-14-08 for extreme agitation. He continues to be easily influenced by peers' negativity. According to the TTC CPS closed the investigation of suspected physical abuse against the patient's family. CPS will continue to monitor the patient's family. In addition, it was indicated that the patient's stepmother would like the patient to exhibit further improvement in behaviors before he can come home. Family therapy session has been scheduled for 02/23/08 to address the family issues.

Patient was appropriately dressed and groomed. His mood was pleasant. Affect was congruent. His activity level was appropriate for age. He maintained fairly good attention and concentration during the treatment team. No evidence of psychotic symptoms. No tics or AIMS. No suicidal and/or homicidal ideations.

Report Date: 05/23/2011

Page 48 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 02/29/2008

Algorithm: None

Report Date: 05/23/2011

Page 49 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 03/21/2008

GENERAL INFORMATION

Assessment Date: 03/12/2008

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 500 mg by mouth every morning and 500 mg at bedtime (Increased 12-12-07)
- 2) Concerta 72 mg by mouth every morning.
- 3) Decrease Zoloft to 25 mgs. by mouth every morning (02-06-08)
(Discontinued on 02-13-08)
- 4) Increase Seroquel to 150 mgs. by mouth every morning and at noon and increase to 200 mgs. at bedtime for mood stabilization (on 03-12-08.)
- 5) Benadryl 75 mgs. by mouth at bedtime for insomnia.

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1) Continue Depakote 500 mgs. by mouth every morning and 500 mg by mouth

Report Date: 05/23/2011

Page 50 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 03/21/2008

at bedtime for mood stabilization.

2)Continue Concerta 72mg by mouth every morning

3)Increase Seroquel to 150 mgs. by mouth every morning and at noon and increase to 200 mgs. at bedtime for mood stabilization.

4)Continue Benadryl to 75 mgs. by mouth at bedtime

NON-PSYCHOTROPICS:

1)Continue Neutrogena soap twice a day for mild facial acne.

2)Continue Stridex Pad at bedtime.

3)Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.

4)Monitor patient's eating habits and weight.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 03-12-08 for his formal 54 Day Treatment Plan Review. Please see the 180 Day Treatment Plan Review for additional information.

Algorithm: None

Report Date: 05/23/2011

Page 51 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 03/27/2008

GENERAL INFORMATION

Assessment Date: 03/19/2008

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 500 mg by mouth every morning and 500 mg at bedtime (Increased 12-12-07)
- 2) Concerta 72 mg by mouth every morning.
- 3) Decrease Zoloft to 25 mgs. by mouth every morning (02-06-08)
(Discontinued on 02-13-08)
- 4) Increase Seroquel to 150 mgs. by mouth every morning and at noon and increase to 200 mgs. at bedtime for mood stabilization (on 03-12-08.)
- 5) Benadryl 75 mgs. by mouth at bedtime for insomnia.

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1) Continue Depakote 500 mgs. by mouth every morning and 500 mg by mouth

Report Date: 05/23/2011

Page 52 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 03/27/2008

at bedtime for mood stabilization.

2) Continue Concerta 72mg by mouth every morning

3) Continue Seroquel to 150 mgs. by mouth every morning and at noon and increase to 200 mgs. at bedtime for mood stabilization.

4) Continue Benadryl to 75 mgs. by mouth at bedtime

NON-PSYCHOTROPICS:

1) Continue Neutrogena soap twice a day for mild facial acne.

2) Continue Stridex Pad at bedtime.

3) Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.

4) Monitor patient's eating habits and weight.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 03-19-08.

Patient continues to have difficulty with peer interactions. He continues to curse and argue with his roommate and exhibit poor impulse control. Although, there are no reports of major maladaptive behaviors. Patient is looking forward to an upcoming visit from his family during the Easter weekend.

Patient was appropriately dressed and groomed. His mood was pleasant and affect was congruent. Activity level was appropriate for age. Patient appeared to be focused during the treatment team. No evidence of psychotic symptoms. No tics or AIMS. No suicidal and/or homicidal ideations.

Algorithm: None

Report Date: 05/23/2011

Page 53 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 04/01/2008

GENERAL INFORMATION

Assessment Date: 03/26/2008

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 500 mg by mouth every morning and 500 mg at bedtime
- 2) Concerta 72 mg by mouth every morning.
- 3) Increase Seroquel to 150 mgs. by mouth every morning and at noon and increase to 200 mgs. at bedtime for mood stabilization (on 03-12-08.)
- 4) Benadryl 75 mgs. by mouth at bedtime for insomnia.

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1) Continue Depakote 500 mgs. by mouth every morning and 500 mg by mouth at bedtime for mood stabilization.
- 2) Continue Concerta 72mg by mouth every morning
- 3) Continue Seroquel to 150 mgs. by mouth every morning and at noon and

Report Date: 05/23/2011

Page 54 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 04/01/2008

increase to 200 mgs. at bedtime for mood stabilization.

4)Continue Benadryl to 75 mgs. by mouth at bedtime

NON-PSYCHOTROPICS:

1)Continue Neutrogena soap twice a day for mild facial acne.

2)Continue Stridex Pad at bedtime.

3)Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.

4)Monitor patient's eating habits and weight.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 03-26-08. Patient is on Level B with 3 yes days.

Patient had a good visit with dad and stepmom at the furlough house during the past weekend for Easter. According to the feedback given by the family patient did fairly well during the visit. There were no reports of any anger outbursts and/or disrespectful behavior. Patient was receptive to redirections and required very few reminders. Staff reports also indicate that patient is needing less reminders and is much calmer. Patient also stated he enjoyed the visit and is looking forward to seeing his younger brother who did not come for the visit because he was sick.

Patient was appropriately dressed and groomed. His mood was pleasant and affect was congruent. His activity level was appropriate for age. Speech was normal in rate, rhythm and volume. Patient maintained appropriate attention and concentration during the treatment team. No evidence of psychotic symptoms. No tics or AIMS. No suicidal and/or homicidal ideations.

Patient verbalized being motivated to have a furlough home visit and also to maintain appropriate behavior and be discharged home.

D-000333

Report Date: 05/23/2011

Page 55 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 04/01/2008

Algorithm: None

Report Date: 05/23/2011

Page 56 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM,JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 04/16/2008

GENERAL INFORMATION

Assessment Date: 04/02/2008

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA,LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1)Depakote 500 mg by mouth every morning and 500 mg at bedtime
- 2)Concerta 72 mg by mouth every morning.
- 3)Increase Seroquel to 150 mgs. by mouth every morning and at noon and increase to 200 mgs. at bedtime for mood stabilization (on 03-12-08.)
- 4)Benadryl 75 mgs. by mouth at bedtime for insomnia.

NON-PSYCHOTROPICS:

- 1)Neutrogena soap bid for mild facial acne
- 2)Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1)Continue Depakote 500 mgs. by mouth every morning and 500 mg by mouth at bedtime for mood stabilization.
- 2)Continue Concerta72mg by mouth every morning
- 3)Continue Seroquel to 150 mgs. by mouth every morning and at noon and

Report Date: 05/23/2011

Page 57 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 04/16/2008

increase to 200 mgs. at bedtime for mood stabilization.

4)Continue Benadryl to 75 mgs. by mouth at bedtime

NON-PSYCHOTROPICS:

1)Continue Neutrogena soap twice a day for mild facial acne.

2)Continue Stridex Pad at bedtime.

3)Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.

4)Monitor patient's eating habits and weight.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 04-02-08. Patient is on Level A.

Patient is somewhat slow to follow directions. Although, he is respectful towards the staff. He is participating actively in individual and family therapy. Patient is being educated about his younger brother's condition which includes Asperger's Disorder and trying to improve the relationship with him. No reports of any major maladaptive behaviors.

Algorithm: None

Report Date: 05/23/2011

Page 58 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 04/16/2008

GENERAL INFORMATION

Assessment Date: 04/09/2008

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

Is the Preferred Language English: Yes

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 500 mg by mouth every morning and 500 mg at bedtime
- 2) Concerta 72 mg by mouth every morning.
- 3) Increase Seroquel to 150 mgs. by mouth every morning and at noon and increase to 200 mgs. at bedtime for mood stabilization (on 03-12-08.)
- 4) Benadryl 75 mgs. by mouth at bedtime for insomnia.

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1) Continue Depakote 500 mgs. by mouth every morning and 500 mg by mouth at bedtime for mood stabilization.
- 2) Continue Concerta 72mg by mouth every morning
- 3) Continue Seroquel to 150 mgs. by mouth every morning and at noon and

Report Date: 05/23/2011

Page 59 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 04/16/2008

increase to 200 mgs. at bedtime for mood stabilization.

4)Continue Benadryl to 75 mgs. by mouth at bedtime

NON-PSYCHOTROPICS:

1)Continue Neutrogena soap twice a day for mild facial acne.

2)Continue Stridex Pad at bedtime.

3)Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.

4)Monitor patient's eating habits and weight.

5)A tentative discharge date has been set for 05-19-08.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 04-02-08. Patient is on Level A with 4 yes days and 0 no days.

This week staffs' reports indicate that the patient has been cursing at times. Although, there are no reports of assaultive and/or self-injurious behaviors. Patient admitted that he is anxious about his discharge. He is sleeping well and taking his medications as suggested. Patient also is attending school regularly and trying to complete his work. Patient also brought to treatment team a piece of paper with the SPARK goals that he had written.

Patient was appropriately dressed and groomed. His was pleasant and affect was somewhat restricted in range. His activity level was appropriate for age. Patient appeared to be focused during the treatment team. No evidence of psychotic symptoms. No tics or AIMS. No suicidal and/or homicidal ideations.

Algorithm: None

D-000338

Report Date: 05/23/2011

Page 60 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 04/25/2008

GENERAL INFORMATION

Assessment Date: 04/16/2008

Assessment Time: 10:30 AM

Draft/Final: Final

Assessing Clinician: ANCHA, LAKSHMI (000496)

Local Case #: 68013126

Primary Language: English

MEDICATIONS

Medication Comments:

PSYCHOTROPICS:

- 1) Depakote 500 mg by mouth every morning and 500 mg at bedtime
- 2) Concerta 72 mg by mouth every morning.
- 3) Increase Seroquel to 150 mgs. by mouth every morning and at noon and increase to 200 mgs. at bedtime for mood stabilization (on 03-12-08.)
- 4) Benadryl 75 mgs. by mouth at bedtime for insomnia.

NON-PSYCHOTROPICS:

- 1) Neutrogena soap bid for mild facial acne
- 2) Stridex Pad at hs

DIET: Regular Admit Weight = 116#

ALLERGIES: Nasal Pan Mist

DIAGNOSES: I: Bipolar Disorder NOS; ADHD-Combined Type; Parent-Child Relational Problem

II: No diagnosis

III: None

PLAN:

PSYCHOTROPIC MEDICATIONS:

- 1) Continue Depakote 500 mgs. by mouth every morning and 500 mg by mouth at bedtime for mood stabilization.
- 2) Continue Concerta 72mg by mouth every morning
- 3) Continue Seroquel to 150 mgs. by mouth every morning and at noon and increase to 200 mgs. at bedtime for mood stabilization.
- 4) Continue Benadryl to 75 mgs. by mouth at bedtime

Report Date: 05/23/2011

Page 61 of 61

Waco Center for Youth
Waco, TX

PHYSICIAN P. NOTE

Client Name: EJEM, JUSTIN
Assigned ID: 000238798
Date Of Birth: 03/01/1992
Episode Number: 2

Episode Start Date: 09/10/2007
Episode End Date: 04/17/2008
Data Entry By (Login): ANCHA LAKSHMI
Data Entry Date: 04/25/2008

NON-PSYCHOTROPICS:

- 1)Continue Neutrogena soap twice a day for mild facial acne.
- 2)Continue Stridex Pad at bedtime.
- 3)Continue patient on high calorie diet and also provide him with a high calorie supplement during snack time.
- 4)Monitor patient's eating habits and weight.
- 5)Patient has a tentative discharge date set for 05-19-08.

NOTE

Please Check all Note Types that apply before continuing!

Note:

Patient attended treatment team on 04-16-08. Patient is on Level B with 4 yes days and 0 no days.

Patient stated that he is somewhat anxious and uncomfortable around a select peer whom he alleged to have sexually abused him. Although, there are no reports of any major maladaptive behaviors. Patient is sleeping and eating well. He is interacting well with the staff and peers. Patient is also attending school regularly and trying to complete his work. He is taking his medications as prescribed and denied any side effects from it. According to the staffs' reports the patient and the select peer were interviewed by the CPS worker who is investigating the allegation of sexual abuse. The CPS report is still pending.

Patient was appropriately dressed and groomed. His mood was somewhat anxious and affect was congruent. His activity level was appropriate for age. No evidence of psychotic symptoms. No tics or AIMS. No suicidal and/or homicidal ideations.

Algorithm: None

D-000340